

# SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

#### **Trade name**

18490 - Tinted clear additive

### Product no.

18490

#### **REACH registration number**

Not applicable

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Industrial use

### **Uses advised against**

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

### **Company and address**

**HBC System Smarttool Production ApS** 

Hobrovei 961-963

9530 Stövring

Denmark

tel:+45 70 22 70 70

#### **Contact person**

Vibeke Jørgensen

#### E-mail

info@hbc-system.com

#### **SDS** date

2015-12-18

#### **SDS Version**

1.0

### 1.4. Emergency telephone number

Use your national or local emergency number

See section 4 "First aid measures"

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

This product is not classified as dangerous.

See full text of H-phrases in section 2.2.

#### 2.2. Label elements

### **Hazard pictogram(s)**

### Signal word

# Hazard statement(s)

General

Safety Prevention statement(s) Response

Storage

Disposal

Identity of the substances primarily responsible for the major health hazards



#### 2.3. Other hazards

### **Additional labelling**

Safety data sheet available on request. (EUH210)

#### Additional warnings

voc

### **SECTION 3: Composition/information on ingredients**

#### 3.1/3.2. Substances/Mixtures

NAME: 2-butoxyethanol

IDENTIFICATION NOS.: CAS-no: 111-76-2 EC-no: 203-905-0 Index-no: 603-014-00-0

CONTENT: 5-10%

CLP CLASSIFICATION: Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2 H302, H312, H315, H319, H332

NOTE:

(\*) See full text of H-phrases in chapter 16. Occupational exposure limits are listed in section 8, if these are available.

S = Organic solvent

Other informations

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

#### **Inhalation**

Get the injured person into fresh air. Make sure there is always someone with the injured person. Prevent shock by keeping the injured person warm and calm. If the person stops breathing, give mouth-to-mouth resuscitation. If unconscious, roll the injured person onto side with the top leg bent at both knee and hip. Call an ambulance.

### **Skin contact**

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

#### Eye contact

Remove contact lenses. Flush eyes immediately with plenty of water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. If irritation continues, contact a doctor.

# Ingestion

Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

### **Burns**

Not applicable

#### 4.2. Most important symptoms and effects, both acute and delayed

No special

### 4.3. Indication of any immediate medical attention and special treatment needed

No special

### Information to medics

Bring this safety data sheet.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media



Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, as in the case of fire, dangerous catabolic substances are produced. These are: Carbon oxides. Fire will result in thick black smoke. Exposure to catabolic products can damage your health. Fire fighters should use proper protection gear. Closed containers, which are exposed to fire, should be cooled with water. Do not let fire-extinguishing water run into sewers and other water courses.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

### 6.2. Environmental precautions

No specific requirements.

#### 6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.

### 6.4. Reference to other sections

See section on "Disposal considerations" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

See section on 'Exposure controls/personal protection' for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original.

#### Storage temperature

No data available.

### 7.3. Specific end use(s)

This product should only be used for applications described in Section 1.2

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **OEL**

2-butoxyethanol (EH40/2005)

Long-term exposure limit (8-hour TWA reference period): 25 ppm | - mg/m3

Short-term exposure limit (15-minute reference period): 50 ppm | - mg/m3

Comments: Sk BMGV (Bmgv = Biological Monitoring Guidance Value. Sk = Can be absorbed through skin.)

#### **DNEL / PNEC**

No data available.

# 8.2. Exposure controls

Compliance with the stated exposure limits values should be checked on a regular basis.

### **General recommendations**

Smoking, consumption of food or liquid, and storage of tobacco, food or liquid, are not allowed in the workroom.

#### **Exposure scenarios**

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied.

#### Exposure limits

Trade users are covered by the rules of the working environment legislation on maximum concentrations for exposure. See work hygiene threshold values below.

### **Appropriate technical measures**

Airborne gas and dust concentrations must be kept as low as possible and below the current threshold values (see below). Use for example an exhaust system if the normal air flow in the work room is not



sufficient. Make sure that eyewash and emergency showers are clearly marked.

#### **Hygiene measures**

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

# Measures to avoid environmental exposure

No specific requirements.

### Individual protection measures, such as personal protective equipment



### Generally

Use only CE marked protective equipment.

### **Respiratory Equipment**

Recommended: AX. Brown

### **Skin protection**

No specific requirements.

#### **Hand protection**

Recommended: butyl rubber. : NA

#### Eye protection

Use face shield. Use safety glasses with a side shield as an alternative.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Form Colour Odour pH Viscosity Density (g/cm3)

Liquid Colourless Faint - - -

Phase changes

Melting point (°C) Boiling point (°C) Vapour pressure (mm Hg)

37.78

Data on fire and explosion hazards

Flashpoint (°C) Ignition (°C) Self ignition (°C)

100 - -

Explosion limits (Vol %) Oxidizing properties

Explosion limits (vol. 76) Oxidizing properti

Solubility

Solubility in water n-octanol/water coefficient

Soluble -

9.2. Other information

Solubility in fat Additional information

- N/A

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

# 10.2. Chemical stability

The product is stable under the conditions, noted in the section on "Handling and storage".

### 10.3. Possibility of hazardous reactions

No special

### 10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight), because it can lead to excess pressure.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reductants agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

### **SECTION 11: Toxicological information**



### 11.1. Information on toxicological effects

**Acute toxicity** 

Substance **Species** Test Route of exposure Result 2-butoxyethanol LD50 Rabbit Intraperitoneal 220 mg/kg 2-butoxyethanol 1230 mg/kg Guinea pig LD50 Oral 2-butoxyethanol Rat LC50 Inhalation 450ppm/4H

Skin corrosion/irritation

No data available.

Serious eye damage/irritation

No data available.

Respiratory or skin sensitisation

No data available.

**Germ cell mutagenicity** 

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

**STOT-single exposure** 

No data available.

**STOT-repeated exposure** 

No data available.

**Aspiration hazard** 

No data available.

Long term effects

No special

### **SECTION 12: Ecological information**

12.1. Toxicity

SubstanceSpeciesTestTest durationResult2-butoxyethanolDaphniaEC5024 H1000 mg/L2-butoxyethanolFishLC5096 H1250 mg/L

12.2. Persistence and degradability

Substance Biodegradability Test Result

No data available.

12.3. Bioaccumulative potential

Substance Potential bioaccumulation LogPow BFC

No data available.

12.4. Mobility in soil

2-butoxyethanol: Log Koc= 0,735677, Calculated from LogPow (High mobility potential.).

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No special

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

This product is not covered by the regulations on dangerous waste.

Waste

**EWC** code

15 01 02

Specific labelling

Contaminated packing

No specific requirements.

### **SECTION 14: Transport information**



Not listed as dangerous goods under ADR and IMDG regulations.

# 14.1 – 14.4

#### ADR/RID

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard

class(es)

14.4. Packing group

Notes

**Tunnel restriction code** 

#### **IMDG**

UN-no.

**Proper Shipping Name** 

Class

PG\*

EmS

**MP\*\*** 

**Hazardous constituent** 

#### VIATA/ICAO

UN-no.

**Proper Shipping Name** 

Class

PG\*

#### 14.5. Environmental hazards

-

### 14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

(\*) Packing group

(\*\*) Marine pollutant

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Restrictions for application**

People under the age of 18 must not be exposed to this product cf. Council Directive 94/33/EC. **Demands for specific education** 

-

# **Additional information**

### **Sources**

COUNCIL DIRECTIVE 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding.

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

EC Regulation 1272/2008 (CLP).

EC regulation 1907/2006 (REACH).

#### 15.2. Chemical safety assessment

No

### **SECTION 16: Other information**

Full text of H-phrases as mentioned in section 3



H302 - Harmful if swallowed.

H312 - Harmful in contact with skin.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

# The full text of identified uses as mentioned in section 1

Other symbols mentioned in section 2

#### Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

The safety data sheet is validated by

kbb

Date of last essential change (First cipher in SDS version)

Date of last minor change (Last cipher in SDS version)

-

ALPHAOMEGA. Licens nr.:3003391770, HBC SYSTEM Danmark www.chymeia.com