

# SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### **Trade name**

841 - Diamond cut thinner 250 ml

#### Product no.

841

### **REACH registration number**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Liquid resin for repair of windscreens

### **Uses advised against**

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

#### **Company and address**

**HBC System Smarttool Production ApS** Hobrovej 961-963 9530 Stövring Denmark

tel:+45 70 22 70 70

### **Contact person**

Vibeke Jørgensen

#### E-mail

info@hbc-system.com

#### SDS date

2018-04-17

### **SDS Version**

1.0

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Flam. Liq. 3; H226 Skin Sens. 1; H317 Aquatic Chronic 2; H411 See full text of H-phrases in section 2.2.

### 2.2. Label elements

### **Hazard pictogram(s)**



# Signal word

Warning

# **Hazard statement(s)**

Flammable liquid and vapour. (H226)



May cause an allergic skin reaction. (H317)

Toxic to aquatic life with long lasting effects. (H411)

### Safety statement(s)

General

Prevention Avoid breathing mist/vapours/fume/spray. (P261).

Wear protective gloves/eye protection. (P280).

Response Collect spillage. (P391).

In case of fire: Use alcohol-resistant foam/carbonic acid/powder/water mist/carbon

dioxide/dry sand to extinguish. (P370+P378).

Storage Store in a well-ventilated place. Keep cool. (P403+P235).

Disposal Dispose of contents/container to an approved waste disposal plant. (P501).

#### Identity of the substances primarily responsible for the major health hazards

4-chloro-α.α.α-trifluorotoluene. CAS no.: 98-56-6

#### 2.3. Other hazards

Not applicable

#### Additional labelling

Not applicable

# **Additional warnings**

Not applicable

VOC

Not applicable

#### **SECTION 3: Composition/information on ingredients**

#### 3.1/3.2. Substances/Mixtures

NAME: 4-chloro-α,α,α-trifluorotoluene IDENTIFICATION NOS.: CAS-no: 98-56-6 EC-no: 202-681-1

CONTENT: 95-100%

CLP CLASSIFICATION: Flam. Liq. 3, Skin Sens. 1, Aquatic Chronic 2

H226, H317, H411

(\*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

N chronic (CAT 2) Sum = Sum(Ci/(M(chronic)i\*25)\*0.1\*10^CATi) = 3,2 - 4,8

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service (dial 111, 24 h service).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### **Inhalation**

Bring the person into fresh air and stay with him/her.

#### Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with soap and water. Skin cleanser can be used. DO NOT use solvents or thinners.

#### Eye contact

Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 15 minutes. Seek medical assistance and continue flushing during transport.

#### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

### Burns



Rinse with water until the pain stops then continue to rinse for a further 30 minutes.

### 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

Nothing special

#### Information to medics

Bring this safety data sheet.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous catabolic substances are produced. These are: Halogenated compounds. Carbon oxides. Fire will result in dense black smoke. Exposure to combustion products may harm your health. Fire fighters should wear appropriate protection equipment. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Storages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities. It is recommended to install waste collection trays to prevent emissions to the waste water system and surrounding environment.

# 6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. It is recommended to install waste collection trays to prevent emissions to the waste water system and surrounding environment. See section on 'Exposure controls/personal protection' for information on personal protection.

# 7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

### Storage temperature

Storage Temperature 0 to 35 ° C

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

#### **SECTION 8: Exposure controls/personal protection**



#### 8.1. Control parameters

#### **OEL**

No substances are listed in The Control of Substances Hazardous to Health Regulations with an occupational exposure limit.

#### **DNEL / PNEC**

No data available

#### 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

### **General recommendations**

Observe general occupational hygiene standards.

### **Exposure scenarios**

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

#### **Exposure limits**

Occupational exposure limits have not been defined for the substances in this product.

#### Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

#### **Hygiene measures**

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

Keep containment materials near the workplace. If possible, collect spillage during work.

### Individual protection measures, such as personal protective equipment



### **Generally**

Use only CE marked protective equipment.

### **Respiratory Equipment**

Recommended: AX. Brown

### **Skin protection**

Dedicated work clothing should be worn.

### **Hand protection**

Recommended: Butyl rubber

### **Eye protection**

Ignition (°C)

Auto flammability (°C)

Explosion limits (% v/v)

No specific requirements.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Form Liquid Transparent Colour Odour Alcohol odor Odour threshold (ppm) No data available. No data available. pН Viscosity (40°C) No data available. Density (g/cm<sup>3</sup>) No data available. Phase changes Melting point (°C) No data available. Boiling point (°C) No data available. Vapour pressure No data available. Decomposition temperature (°C) No data available. Evaporation rate (n-butylacetate = 100) No data available. Data on fire and explosion hazards Flash point (°C) No data available.

841 - Diamond cut thinner 250 ml

No data available.

No data available.

No data available.



**Explosive properties** 

**Solubility** 

Solubility in water

n-octanol/water coefficient

9.2. Other information

Solubility in fat (q/L)

No data available.

Soluble

No data available.

No data available.

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

### 10.3. Possibility of hazardous reactions

Nothing special

#### 10.4. Conditions to avoid

Avoid static electricity. Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### **Acute toxicity**

No data available.

# Skin corrosion/irritation

No data available.

# Serious eye damage/irritation

No data available.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

No data available.

#### Carcinogenicity

No data available.

#### Reproductive toxicity

No data available.

### **STOT-single exposure**

No data available.

### **STOT-repeated exposure**

No data available.

#### **Aspiration hazard**

No data available.

#### Long term effects

Nothing special

# **SECTION 12: Ecological information**

# 12.1. Toxicity

No data available.

## 12.2. Persistence and degradability

Substance Biodegradability Test Result

No data available.

### 12.3. Bioaccumulative potential

Substance Potential bioaccumulation LogPow BCF

No data available.



### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

This substance is not considered to meet the criteria classifying it as PBT and/or vPvB.

### 12.6. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which due to poor biodegradability, may cause adverse long-term effects to the aquatic environment.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

#### **Waste**

**EWC** code

-

# Specific labelling

-

### Contaminated packing

Contaminated packaging must be disposed of similarly to the product.

### **SECTION 14: Transport information**

### 14.1 - 14.4

This product is within scope of the regulations of transport of dangerous goods.

#### ADR/RID

14.1. UN number	2234
14.2. UN proper shipping name	-
14.3. Transport hazard class(es)	3
14.4. Packing group	Ш
Notes	-
Tunnel restriction code	-

#### **IMDG**

**UN-no.** 2234

Proper Shipping Name CHLOROBENZOTRIFLUORIDES

 Class
 3

 PG\*
 III

 EmS
 F-E, S-D

 MP\*\*\*

 Hazardous constituent

### IATA/ICAO

**UN-no.** 2234

Proper Shipping Name CHLOROBENZOTRIFLUORIDES

Class 3 PG\* III

#### 14.5. Environmental hazards

14.6. Special precautions for user

-

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

- (\*) Packing group
- (\*\*) Marine pollutant

### **SECTION 15: Regulatory information**



### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **Restrictions for application**

People under the age of 18 shall not be exposed to this product cf. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

### **Demands for specific education**

#### **Additional information**

Not applicable

### Seveso

Seveso III Part 1: P5c, E2

#### Sources

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).

EC regulation 1907/2006 (REACH).

The Control of Major Accident Hazards (COMAH) Regulations 2015.

### 15.2. Chemical safety assessment

Nο

#### **SECTION 16: Other information**

#### Full text of H-phrases as mentioned in section 3

H226 - Flammable liquid and vapour.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

#### The full text of identified uses as mentioned in section 1

#### Additional label elements

Not applicable

#### Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture

The classification of the mixture in regard of physical hazards has been based on experimental data.

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

The classification of the mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

# The safety data sheet is validated by

Admin

Date of last essential change (First cipher in SDS version)

Date of last minor change (Last cipher in SDS version)